


OPTION PARTS

#430060 Gear Differential Set




1



2

TIPS
USE SMALL AMOUNT OIL TO
HOLD THE GEARS DURING
ASSEMBLY.



OPTION PARTS

#430060 Gear Differential Set



3

440066
Diff Shaft Sealer O-Ring

610009
Bearing 5x8x2.5mm

BEARING OIL

X2

530104
Shim 5x7x0.1mm

530105
Gear Differential Washer Set

430062
Diff Output Shaft

GREASE

APPLY SOME
GREASE ON AXLE
AND O-RING.

440065
Internal Differential Gear Set

NOTE
注意

WHEEL HUB INSERT
TO SLOT OF SHAFT.

410063
Alum Gear Differential Case

610013
Bearing 6x10x3mm

BEARING OIL

610009
Bearing 5x8x2.5mm

BEARING OIL

410069
Alum Bearing
CenterTube

410068
Alum Wheel Hub

NOTE
注意


ENSURE AXLE ROTATE FREELY.

510107
M3 Aluminum Locknut
Black, Flanged

4

TIPS


FILL UP 1.5g SILICONE
OIL. START TESTING
FROM #5,000CST.
LOW GRIP TRACK : LIGHT OIL
HIGH GRIP TRACK : HARD OIL




NOTE
注意

INSERT THE MAIN SHAFT
INTO OUTPUT SHAFT SLOWLY.

530103
M2x5mm Flathead Screw



5



SPUR GEAR

SPUR GEAR NOT
INCLUDED.

OPTION

#420069
3D Carbon Spur Gear Holder Set

